

THE LOWEST IN ITS CLASS!

The new TECEprofil toilet module with an installation height of only 750 mm. Smallest dimensions – for maximum design freedom.



NEW



Brings toilet and washstand to the same level – every time!

Following the trend

Integrating the toilet and washstand in a single construction can be a challenge with modern countertop washstands. Standard toilet modules are too high. The new TECEprofil toilet module at a height of only 750 mm solves this problem: it saves the required 70 mm compared to the 820 mm module at the cistern head - without compromising on functionality or comfort during installation.

Low installation height, high performance

At a height of just 750 mm, the TECEprofil toilet module offers everything a cistern should have. And clever details that make life easier for you.

Installation made easy

Thanks to easy fit quick assembly for flush plates, you save 60% of working time – and a lot of worry.






Removed with a "zip"

The zip function allows the installation tunnel to be shortened quickly, without tools and without sharp breaking edges.





More than just a bare-wall protection

Here, not only the threaded rods for the fine installation are stored safely and within easy reach, but also empty pipes and empty sockets for connecting shower toilets are already prepared.





Product highlights

- Only 750 mm high
- Compatible with all manual TECE flush plates
- Can be used with mechanical or pneumatic actuation
- Cistern connection compatible with quick adapters
- easy fit tool-free quick assembly for flush plates
- Installation tunnel with "zip" function: shorten without tools
- Shorter A6 drain valve
- Sound-insulated condensation
 water protection
- In the TECEprofil toilet module, compatible with the TECEprofil pre-wall system

For every installation scenario

The TECE Uni 750-cistern is ideally equipped in the TECEprofil toilet module for installation in the TECEprofil pre-wall system, in metal or wooden stud walls and for installation in front of a solid or plasterboard wall.





For more information visit www.tece.com

TECE GmbH International-business T +492572/928-999 international-business@tece.de www.tece.com

DS030 005 13 a