



PRODUCT RANGE 2026

TECE UK

Sanitary Systems

Page

<u>WC ceramics</u>	6
<u>TECEneo shower toilet NEW</u>	7
<u>TECEneo toilet seat and lids NEW</u>	7
<u>TECEneo operating knobs for shower toilets NEW</u>	8
<u>TECE toilet sets NEW</u>	9
<u>TECElux toilet terminal</u>	10
<u>Flush Plates</u>	14
<u>TECEsquare</u>	15
<u>TECESolid NEW</u>	16
<u>TECEvelvet</u>	17
<u>TECEnow</u>	17
<u>TECEloop</u>	18
<u>TECEloop NEW</u>	19
<u>TECEambia</u>	20
<u>TECEplanus</u>	20
<u>TECEflushpoint</u>	21
<u>TECESolid electronic</u>	22
<u>TECElux mini</u>	22
<u>TECEplanus electronic</u>	23
<u>Urinal flush plates</u>	24
<u>TECEfilo urinal sensor plate</u>	25


	Page
Frames and Cisterns	
<u>Installation frames</u>	26
<u>TECEprofil design cistern frame</u>	27
<u>TECEconstruct professional cistern frame</u>	28
<u>TECE special purposes cistern frames NEW</u>	29
<u>TECE urinal frame</u>	31
<u>TECE bidet frame</u>	31
<u>TECE washbasin frame</u>	31
<u>TECE bath/shower frame</u>	31
<u>Cisterns</u>	32
<u>TECEuni cistern</u>	33
<u>TECEocta II slimline cistern</u>	33
Drainage Systems	
<u>Wetroom shower drainage</u>	34
<u>ELITEpro</u>	35
<u>TECEquattro</u>	35
<u>TECEDrainprofile NEW</u>	36
<u>TECEDrainline NEW</u>	40
<u>TECEDrainline natural stone NEW</u>	48
<u>Wetroom waterproofing</u>	52
<u>Wetroom shower gradient board and trays</u>	54
Accessories and Spare Parts	
<u>Universal fill valves</u>	57
<u>Accessories</u>	57
<u>Spare parts</u>	58



TECEneo shower toilet - hot and cold water

Water-saving, rimless toilet ceramic with integrated shower function for comfortable personal cleaning using water. Shower function without electricity via on-site hot and cold water connection, toilet ceramic for in-wall cisterns. Made out of dirt resistant "Cera-Clean" material with quiet cyclone flushing.


Code	Dimensions (mm)
9700205	NEW 400 x 365 x 540

**TECEneo shower toilet - cold water***

Water-saving, rimless toilet ceramic with integrated shower function for comfortable personal cleaning using water. Shower function without electricity via on-site cold water connection, toilet ceramic for in-wall cisterns. Made out of dirt resistant "Cera-Clean" material with quiet cyclone flushing.

Code	Dimensions (mm)
9700207	NEW 383 x 365 x 540

*Check Availability

**TECEneo toilet seat with classic lid**

Toilet seat with soft-close cover, suitable for all TECE toilets with pre-fix technology. Can be used for TECEneo models. Designed for quick and secure installation, providing long-lasting comfort and stability with an easy-to-clean, durable surface.

Code	Dimensions (mm)
9700600	-

**TECEneo toilet seat with slim lid**

Toilet seat with soft-close cover, suitable for all TECE toilets with pre-fix technology. Can be used for TECEneo models. Designed for quick and secure installation, providing long-lasting comfort and stability with an easy-to-clean, durable surface.

Code	Dimensions (mm)
9700603	NEW -



Ceramics - Accessories

TECEneo, operating knobs

Simple, elegant variants of the TECEneo with side indentations for grip, plastic variants each with additional printed operating instructions.



TECE shower toilet operating knob for water volume control, brushed s/steel

Code Dimensions (mm)

9700608 NEW -

TECE shower toilet operating knob for water volume control matt black

Code Dimensions (mm)

9700606 NEW -

TECE shower toilet operating knob for water volume control, white

Code Dimensions (mm)

9820362 NEW -

Connection sets

Toilet connection sets for wall mounted toilets.

TECE ceramic shower pan connection set, standard frames

Code Dimensions (mm)

9700700 -


TECE ceramic pan connection set, slimline frame

Code Dimensions (mm)

9700710 -

TECEloft, ceramic wc set


Consists of a TECEloft WC ceramic with Cyclone flush, supplied with a classic high-design WC seat and lid. The set is designed with a concealed fixing system to ensure secure installation and a clean finish.



Code	Dimensions (mm)
9700224	353 x 313 x 515

TECEneo set, without shower function

Consists of a TECEneo WC ceramic with cyclone flush, supplied with a slim seat and lid. Water-saving, rimless toilet ceramic designed for in-wall cisterns. Made from durable, dirt-resistant "Cera-Clean" material for lasting hygiene and comfort in everyday use.



Code	Dimensions (mm)
9700215	368 x 365 x 540




TECElux

TECElux is a smart toilet terminal that prepares your bathroom for the future. It hides all necessary connections behind the wall, allowing easy upgrades like shower toilets at a later time. With sleek design and modular flexibility, it offers comfort today and freedom for tomorrow.


Modular system where you pick the **TECElux module (A)**, **Upper panel (B)** and **Lower panel (C)** to have the full TECElux product.

(A) TECElux module (page 12)


TECElux module 100



TECElux module 200




TECElux module 300

**(B) Upper panel (page 13)**

White/Black buttons




Chrome buttons




"sen-Touch" buttons



TECElux

(C) Lower panel (page 13)

Standard toilet



Shower toilet



Shower toilet seat


For more information or guidance please contact our office 01761 241133

TECElux toilet terminal - module (A)

(A) TECElux module 100 c/w manual height adjust 1120mm

Dry-wall construction element for installation in metal or wooden stud walls and as a pre-wall or corner module. For TECElux glass facing with actuation unit sen-Touch and glass facing, subsequent 8 cm manual height adjustment option.


Code	Dimensions (mm)
9600100	1120 x 500 x 150



(A) TECElux module 200 c/w manual height adjust 1120mm

Dry-wall construction element for installation in metal or wooden stud walls. For TECElux glass facing with actuation unit sen-Touch and glass facing, subsequent 8 cm manual height adjustment option.


Code	Dimensions (mm)
9600200	1120 x 500 x 150



(A) TECElux module 400 c/w height adjust & odour extraction 1120mm


Dry-wall construction element for installation in metal or wooden stud walls. For TECElux glass facing with actuation unit sen-Touch and glass facing, subsequent 8 cm manual height adjustment option, including. "Ceramic-Air" odour extraction.

Code	Dimensions (mm)
9600400	1120 x 500 x 150



(B) TECElux upper panel



Upper glass facing with integrated actuation unit for TECElux. Designed for use only in combination with the lower glass facing. Provides a sleek, hygienic surface with precise flush actuation and an elegant finish that complements modern bathroom design.



Description	Code	Dimensions (mm)
Manual Actuation Glass White Buttons White	9650000	555 x 430 x 16
Manual Actuation Glass White Buttons Bright Chrome	9650001	555 x 430 x 16
Manual Actuation Glass Black Bright Chrome Buttons	9650004	555 x 430 x 16
Manual Actuation Glass Black Buttons Black	9650005	555 x 430 x 16
Electric Actuation Glass White	9650002	555 x 430 x 16
Electric Actuation Glass Black	9650003	555 x 430 x 16

(C) TECElux lower panel

Lower glass facing for combination with toilet ceramics, including sound insulation set. Available in multiple variants for different toilet manufacturers. Provides a stable, quiet, and easy-to-clean surface for use with the TECElux system.




Description	Code	Dimensions (mm)
For Standard Toilet Glass White	9650100	446 x 430 x 16
For Shower Toilet Glass White	9650101	446 x 430 x 16
For Shower Toilet Seat Glass White	9650102	446 x 430 x 16
For Duravit Shower Toilet Glass White	9650103	446 x 430 x 16
For Geberit Shower Toilet Glass White	9650104	446 x 430 x 16
For Standard Toilet Glass Black	9650105	446 x 430 x 16
For Shower Toilet Glass Black	9650106	446 x 430 x 16
For Duravit Shower Toilet Glass Black	9650107	446 x 430 x 16
For Geberit Shower Toilet Glass Black	9650108	446 x 430 x 16
For TECEone and TECEneo Glass White	9650109	446 x 430 x 16
For TECEone and TECEneo Glass Black	9650110	446 x 430 x 16



TECEsquare metal flush plate

Ultra slim dual flush control plate in 3mm steel for high quality finish. Includes frame for building in to wall. Minimum wall thickness 30mm required.

**TECEsquare metal, dual flush**

Colour	Code	Dimensions (mm)
Brushed St/Steel (Anti-Fingerprint)	9240830	220 x 150 x 3
Polished Chrome	9240831	220 x 150 x 3
White	9240832	220 x 150 x 3
Matt Black	9240833	220 x 150 x 3
Matt White	9240834	220 x 150 x 3
Brushed Nickel (Anti-Fingerprint)	9240843	220 x 150 x 3
Brushed Black Chrome (Anti-Fingerprint)	9240846	220 x 150 x 3
Polished Black Chrome*	9240837	220 x 150 x 3
Brushed Gold Optic (Anti-Fingerprint)	9240847	220 x 150 x 3
Polished Gold Optic	9240839	220 x 150 x 3
Brushed Red Gold (Anti-Fingerprint)	9240848	220 x 150 x 3
Polished Red Gold*	9240841	220 x 150 x 3
Rusted Steel	9240845	220 x 150 x 3

*Check Availability


TECEsquare metal, Custom Finishes*

Colour	Code	Dimensions (mm)
Polished Nickel	9240822-NIP	220 x 150 x 3
Brushed Brass	9240822-BRB	220 x 150 x 3
Polished Brass	9240822-BRP	220 x 150 x 3

*Check Availability

TECEsquare glass flush plate

Flat glass dual flush control plate with two coloured actuation buttons. Suitable for flush-mounted installation with toilet installation frame. Available in elegant satin glass finishes.

**TECEsquare glass, dual flush**

Colour	Code	Dimensions (mm)
Glass White, Buttons White	9240800	220 x 150 x 11
Glass White, Buttons Brushed St/Steel	9240801	220 x 150 x 11
Glass White, Buttons Polished Chrome	9240802	220 x 150 x 11
Glass Black, Buttons Brushed St/Steel	9240806	220 x 150 x 11
Glass Black, Buttons Polished Chrome	9240807	220 x 150 x 11
Glass Black, Buttons Gold	9240808	220 x 150 x 11
Glass Black, Buttons Black	9240809	220 x 150 x 11

TECEsquare satin glass, dual flush

Colour	Code	Dimensions (mm)
Glass White Satin	9240824	220 x 150 x 7
Glass Black Satin	9240825	220 x 150 x 7
Glass Signal Grey Satin	9240826	220 x 150 x 7
Glass Sand Beige satin	9240827	220 x 150 x 7




TECEsquare, for self finish, buttons only

Colour	Code	Dimensions (mm)
White	9240818	-
Stainless Steel	9240819	-
Polished Chrome	9240820	-
Black	9240821	-

Flushing Controls - TECEsolid flush plate

TECEsolid flush plate




Sleek stainless steel dual flush control plate for reliable performance. Suitable for public washrooms and premium residential bathrooms. Combines durability with a refined, modern appearance.



Colour	Code	Dimensions (mm)
Matt Black	9240416	220 x 150 x 6
Brushed Stainless Steel	9240430	220 x 150 x 6
Bright Chrome	9240431	220 x 150 x 6
Bright White	9240432	220 x 150 x 6
Matt White	9240433	220 x 150 x 6
Brushed Stainless Steel (Anti-Fingerprint)	9240434	220 x 150 x 6
Brushed Bronze NEW	9240444	220 x 150 x 6
Brushed Brass NEW	9240445	220 x 150 x 6
Brushed Nickel NEW	9240446	220 x 150 x 6
Brushed Graphite NEW	9240447	220 x 150 x 6

TECEsolid flush plate with diamond structure buttons




Sleek stainless steel dual flush control plate with diamond-structured buttons. Ideal for public washrooms and premium home bathrooms, combining durability with a refined, modern appearance.



Colour	Code	Dimensions (mm)
Brushed Bronze	9240435	220 x 150 x 6
Brushed Brass	9240436	220 x 150 x 6

TECEsolid flush plate with line structure

Sleek stainless steel dual flush control plate with line structure. Ideal for public washrooms and premium home bathrooms. Combines durability, hygiene, and a refined, modern appearance.





Colour	Code	Dimensions (mm)
Brushed Nickel	9240437	220 x 150 x 6
Brushed Graphite	9240438	220 x 150 x 6

TECEsolid spacing frame

Colour	Code	Dimensions (mm)
White	9240440	-
Grey	9240441	-

TECEVelvet flush plate



Incredibly flat flush control plate with FENIX NTM® surface (FENIX by Arpa Industiale). Matt soft touch surface with anti-fingerprint. Spacing frame and rebating frame required for wall flush fit.



Colour	Code	Dimensions (mm)
White	9240735	220 x 150 x 5
Beige	9240733	220 x 150 x 5
Beige Brown	9240730	220 x 150 x 5
Stone Grey	9240734	220 x 150 x 5
Anthracite	9240731	220 x 150 x 5
Black	9240732	220 x 150 x 5

TECEnow flush plate

Super slimline 5mm deep flush control plates available in popular colours. Requires spacing frame and rebating frame for flush wall installation. Combines a sleek design with durable, easy-to-clean surfaces.



Colour	Code	Dimensions (mm)
White	9240400	220 x 150 x 5
Bright Chrome	9240401	220 x 150 x 5
Matt Chrome	9240402	220 x 150 x 5
Black	9240403	220 x 150 x 5
Matt Black	9240407	220 x 150 x 5
Matt White	9240417	220 x 150 x 5
Nickel	9240418	220 x 150 x 5
Brass	9240419	220 x 150 x 5
Red Bronze	9240420	220 x 150 x 5
Graphite	9240421	220 x 150 x 5

TECE packing shim, for TECEnow, TECEVelvet, TECEloop




Colour	Code	Dimensions (mm)
White	9240410	-
Bright Chrome	9240411	-
Matt Chrome	9240412	-
Black	9240415	-

Flushing Controls - TECEloop flush plate

TECEloop flush plate



Elegant flush plate range with coloured ABS plastic decor plates and 11 button options. Requires spacing frame and rebating frame for flush wall installation. Combines style, versatility, and durability. Also features an easy-to-clean surface.

Colour	Code	Dimensions (mm)
White	9240920	220 x 150 x 5
Bright Chrome	9240921	220 x 150 x 5
Matt Chrome	9240922	220 x 150 x 5
White, Buttons Bright Chrome	9240927	220 x 150 x 5
Matt Black	9240925	220 x 150 x 5
Matt White	9240926	220 x 150 x 5
Black	9240924	220 x 150 x 5
Nickel	9240935	220 x 150 x 5
Brass	9240936	220 x 150 x 5
Red Bronze	9240937	220 x 150 x 5
Graphite	9240938	220 x 150 x 5



TECEloop glass flush plate


Elegant glass flush plate range with coloured glass decor plates and 8 button options. Requires spacing frame and rebating frame for flush wall installation. Combines style, versatility, and easy-to-clean durability.



Colour	Code	Dimensions (mm)
Glass Black, Buttons White	9240654	220 x 150 x 11
Glass Black, Buttons Matt Chrome	9240655	220 x 150 x 11
Glass Black, Buttons Bright Chrome	9240656	220 x 150 x 11
Glass Black, Buttons Black	9240657	220 x 150 x 11
Glass Black, Buttons Gold Plate	9240658	220 x 150 x 11
Glass White, Buttons White	9240650	220 x 150 x 11
Glass White, Buttons Matt Chrome	9240659	220 x 150 x 11
Glass White, Buttons Bright Chrome	9240660	220 x 150 x 11

TECEloop modular flush plate

Ultimate flexibility for designers to mix inter-changeable modular push buttons (A) with glass decor panels (B) to offer over 100x variations of finish.

**TECEloop modular, dual flush, buttons (A)**

Colour	Code	Dimensions (mm)
(A) Buttons, White	9240663	-
(A) Buttons, Matt Chrome	9240665	-
(A) Buttons, Polished Chrome	9240666	-
(A) Buttons, Black	9240667	-
(A) Buttons, Matt White	9240618	-
(A) Buttons, Matt Black	9240619	-
(A) Buttons, Polished Gold	9240668	-
(A) Buttons, Brushed Stainless Steel (Anti Fingerprint)	9240669	-

TECEloop modular, dual flush, decor panel (B)

Colour	Code	Dimensions (mm)
(B) Decor Panel, Glass White	9240671	220 x 150 x 11
(B) Decor Panel, Glass Black	9240674	220 x 150 x 11
(B) Decor Panel, Evening Blue	9240615	220 x 150 x 11
(B) Decor Panel, Titanium	9240616	220 x 150 x 11
(B) Decor Panel, Light Beige	9240617	220 x 150 x 11
(B) Decor Panel, Oak Wood	9240612	220 x 150 x 11
(B) Decor Panel, White Marble	9240613	220 x 150 x 11
(B) Decor Panel, Light Concrete	9240614	220 x 150 x 11
(B) Decor Panel, Slate Slab (Natural Stone Variable Finish)	9240675	220 x 150 x 11



TECEloop modular, dual flush, self finish decor panel (B)

Colour	Code	Dimensions (mm)
(B) Decor Panel, self finish NEW	9240631	220 x 150 x 5

Flushing Controls - TECEambia flush plate, TECEplanus flush plate

TECEambia flush plate

Traditional polymer flush control plate available in single or dual flush versions. Designed for reliable performance and easy installation. A classic, functional design.



TECEambia, single flush

Colour	Code
White	9240100

Dimensions (mm)
214 x 152 x 22


TECEambia, dual flush

Colour	Code
White	9240200

Dimensions (mm)
214 x 152 x 22

TECEplanus flush plate

Robust flush control plate available in single or dual flush versions. Designed for durable, long-lasting performance. Combines reliability with a sleek, functional appearance.



TECEplanus, single flush

Colour	Code
Brushed Stainless Steel	9240310

Dimensions (mm)
214 x 144 x 15

TECEplanus, dual flush

Colour	Code
Brushed Stainless Steel	9240320

Dimensions (mm)
214 x 144 x 15

Flush handle, traditional lever

Dual flush control handle in chrome offering an alternative to standard push button operation. Designed for reliable performance and a sleek, polished finish.





Colour	Code
Chrome	02101500

Dimensions (mm)
248 x 212 x 16

TECEflushpoint round (A)

Dual Flush Pneumatic controls that allow for flushing up to 1.7m away from the cistern. Compatible with installation of a second flush plate on the cistern.

TECEflushpoint lifting engine required (B)






TECEflushpoint, dual flush, round (A)

Colour	Code	Dimensions (mm)
White	9240981	95 x 95 x 5
Bright Chrome	9240982	95 x 95 x 5
Matt Chrome	9240983	95 x 95 x 5

TECEflushpoint square (A)

Dual Flush Pneumatic controls that allow for flushing up to 1.7m away from the cistern. Compatible with installation of a second flush plate on the cistern.

TECEflushpoint lifting engine required (B)






TECEflushpoint, dual flush, square (A)

Colour	Code	Dimensions (mm)
White	9240978	95 x 95 x 5
Bright Chrome	9240979	95 x 95 x 5
Matt Chrome	9240980	95 x 95 x 5

TECEflushpoint single flush button (A)

Single Flush Pneumatic controls that allow for flushing up to 1.7m away from the cistern. Can be installed with a second flush plate also on cistern.

TECEflushpoint lifting engine required (B)



TECEflushpoint, single flush, square (A)

Colour	Code	Dimensions (mm)
White	9240978	95 x 95 x 5

TECEflushpoint lifting engine (B)

Pneumatic remote control allowing decentralised flushing when used with a manual TECE flush plate or inspection cover. Suitable for installation in solid walls, dry-wall constructions or within furniture units.





TECEflushpoint lifting engines (B)

Description	Code	Dimensions (mm)
Standard Lifting Engine	9240976	-
320 & Slimline Lifting Engine	9240977	-

Electronic Flushing Controls - TECEsolid electronic flush plate, TECElux mini flush plate

TECEsolid electronic flush plate

Electronic flush plate with hands-free hygienic actuation. Incredibly flat stainless steel flush plate including fixing material and actuation motor for single or dual flush.



TECEsolid electronic, dual flush, 12v mains

Colour	Code
Bright Chrome	9240451
White	9240452
Matt White	9240453
Brushed Stainless Steel (Anti-Fingerprint)	9240454
Matt Black	9240455

Dimensions (mm)

220 x 150 x 6

Transformer and Connection Cable*

9810012

*Required to operate 12v mains

TECEsolid electronic, dual flush, 6v battery



Colour	Code
Bright Chrome	9240461
White	9240462
Matt White	9240463
Brushed Stainless Steel (Anti-Fingerprint)	9240464
Matt Black	9240465

Dimensions (mm)

220 x 150 x 6

TECElux mini electronic flush plate

Premium quality electronic hands-free control plates in glass. Requires Transformer and Control Cable to function. Suits all Full Size cisterns and frames.



Colour

Code
9240960
9240961
9810012

Dimensions (mm)

220 x 150 x 8

Transformer and Connection Cable*

9810012

*Required to operate 12v mains

TECElux mini, optional extras

Item	Code
Anti Theft Bracket	9820354
Cable, 5m	9820352


Dimensions (mm)

220 x 150 x 8

220 x 150 x 8

TECEplanus electronic flush plate

Hands-free electronic flush control plates and accessories including manual override option. Battery, mains and remote control flush options available.



TECEplanus electronic control IR sensor 6v battery

Colour	Code	Dimensions (mm)
Brushed Stainless Steel	9240350	214 x 144 x 15
Polished Chrome	9240351	214 x 144 x 15
White	9240361	214 x 144 x 15

TECEplanus electronic control IR 230/12v mains

Colour/Description	Code	Dimensions (mm)
Brushed Stainless Steel	9240352	214 x 144 x 15
Polished Chrome	9240353	214 x 144 x 15
White Polished	9240362	214 x 144 x 15
Electronic 12v Connection Cable*	9810004	214 x 144 x 15
Electronic Transformer 240/12v*	9810003	214 x 144 x 15

*Required to operate 12v mains


TECEplanus remote controls

Description	Code	Dimensions (mm)
Wireless Remote Control For Grab Rail, 6v Battery	9240354	-
Cable Remote Control For Grab Rail, 6v Battery	9240356	-
Wireless Remote Control For Grab Rail, 12v Mains	9240355	-
Cable Remote Control For Grab Rail, 12v Mains	9240357	-
Remote Button	9240360	-



TECEfilo urinal sensor plate (A)


Hands-free electronic flush control plates and accessories including manual override option. 12v mains or 7.2v battery flush valves required for use.
Flush Valve required (B)



Colour	Code	Dimensions (mm)
Brushed Stainless Steel Anti Fingerprint	9242068	100 x 150 x 4
White Glass	9242064	100 x 150 x 7
Black Glass	9242065	100 x 150 x 7
Polished White ABS	9242066	100 x 150 x 5
Bright Chrome ABS	9240067	100 x 150 x 5

TECEfilo urinal sensor plate, solid (A)


Hands-free electronic flush control plates and accessories including manual override option. 12v mains or 7.2v battery flush valves required for use.
Flush Valve required (B)



Colour	Code	Dimensions (mm)
Polished White	9242072	98 x 150 x 6
Matt White	9242073	98 x 150 x 6
Brushed Stainless Steel	9242074	98 x 150 x 6
Brushed Stainless Steel Anti-Fingerprint	9242075	98 x 150 x 6
Bright Chrome	9242076	98 x 150 x 6
Matt Black	9242077	98 x 150 x 6

TECEfilo urinal sensor plate, velvet (A)

Hands-free electronic flush control plates and accessories including manual override option. 12v mains or 7.2v battery flush valves required for use.
Flush Valve required (B)



Colour	Code	Dimensions (mm)
White	9242081	100 x 150 x 5
Black	9242082	100 x 150 x 5
Beige Brown	9242083	100 x 150 x 5
Grey Beige	9242084	100 x 150 x 5
Anthracite	9242085	100 x 150 x 5
Stone Grey	9242086	100 x 150 x 5

TECEfilo sensor plate, flush valve (B)

Colour	Code	Dimensions (mm)
TECEfilo Flush Valve 230/12V Mains Version	9242092	-
TECEfilo Flush Valve 7.2V Battery Version	9242091	-




Installation Frames

TECEprofil design cistern frame - H1120mm

A high quality high performance 1120mm WRAS / KIWA Reg 4 Approved installation system for wall hung WC's, with premium features to ease installation of all WC's including shower toilets. Offers compatibility with the full range of TECE Flush Controls. Front Actuation.


Code	Dimensions (mm)
9300377	1120 x 500 x 150



TECEprofil design cistern frame - H980mm

A high quality high performance 980mm WRAS / KIWA Reg 4 Approved installation system for wall hung WC's, with premium features to ease installation of all WC's including shower toilets. Offers compatibility with the full range of TECE Flush Controls. Front and Top Actuation.



Code	Dimensions (mm)
9300329	980 x 500 x 150



TECEprofil design cistern frame - H820mm

A high quality high performance 820mm WRAS / KIWA Reg 4 Approved installation system for wall hung WC's, with premium features to ease installation of all WC's including shower toilets. Offers compatibility with the full range of TECE Flush Controls. Front and Top Actuation.

Code	Dimensions (mm)
9300378	820 x 500 x 150



TECEprofil design shower toilet connection sets

Connect TECEprofil design cistern frames to TECE shower toilets. Suitable to connect electronic shower toilets.

TECE shower toilet/seat connection set for design, H112

Code	Dimensions (mm)
9880052AG	-

TECE shower toilet/seat connection set for design, H98

Code	Dimensions (mm)
9880053AG	-

TECE shower toilet/seat connection set for design, H82


Code	Dimensions (mm)
9880054AG	-

Installation Frames - TECEconstruct professional cistern frame

TECEconstruct professional cistern frame - H1120mm

A 1120mm WRAS Approved installation system for wall hung WC's designed with the installer in mind. This standard frame comes with an AG valve, stainless steel hose, water release valve with multi flush options. Offers compatibility with the full range of TECE Flush Controls. Front Actuation.


Code	Dimensions (mm)
9400302	1120 x 500 x 150



TECEconstruct professional cistern frame - H980mm

A 980mm WRAS Approved installation system for wall hung WC's designed with the installer in mind. This standard frame comes with an AG valve, stainless steel hose, water release valve with multi flush options. Offers compatibility with the full range of TECE Flush Controls. Front and Top Actuation.


Code	Dimensions (mm)
9400303	980 x 500 x 150



TECEconstruct professional cistern frame - H820mm

A 820mm WRAS Approved installation system for wall hung WC's designed with the installer in mind. This standard frame comes with an AG valve, stainless steel hose, water release valve with multi flush options. Offers compatibility with the full range of TECE Flush Controls. Front and Top Actuation.


Code	Dimensions (mm)
9400304	820 x 500 x 150



TECE slimline 8 cm with octa II cistern frame - H1120mm

A high quality high performance system for wall hung WC's, with premium features to ease installation of all WC's including shower toilets. Offers compatibility with the full range of TECE Flush Controls.


Code	Dimensions (mm)
9300502	1120 x 500 x 80



TECEprofil compact 320 cistern frame - H1120mm

A high quality high performance system for wall hung WC's, with premium features to ease installation of all WC's including shower toilets. Offers compatibility with the full range of TECE Flush Controls.


Code	Dimensions (mm)
9300600	NEW 1120 x 320 x 150



TECE cistern frame - H750mm

A high quality high performance system for wall hung WC's, with premium features to ease installation of all WC's including shower toilets. Offers compatibility with the full range of TECE Flush Controls.

Code	Dimensions (mm)
9300291	NEW 750 x 500 x 150





Installation Frames - special purposes cistern frames

TECE cistern frame odour extraction - H1120mm

Toilet module including "easy fit" flush plate installation and conduit to connect electronic shower toilets. For installation in metal or wooden stud walls and as a pre-wall or corner module. Offers compatibility with the full range of TECE Flush Controls.

Code	Dimensions
9300303	1120 x 500 x 150





TECE cistern frame geronto - H1120mm

Toilet module including "easy fit" flush plate installation and conduit to connect electronic shower toilets. For in front of a solid wall. For barrier-free construction with raised ceramic attachment. Module with lateral steel frames and conduits for cable laying, including mounting materials.

Safety support arm height = 760 mm


Code	Dimensions
9300309	1120 x 940 x 150



TECE cistern frame hygiene flush function - H1120mm


Toilet module including "easy fit" flush plate assembly. For fixing to TECEprofil section tubes or for installation in metal or wooden stud walls and as a pre-wall or corner module. Offers compatibility with the full range of TECE Flush Controls.

Code	Dimensions
9300102	1120 x 500 x 150



TECE urinal frame - H1120mm

Installation fixing frame for fitting.

**TECEprofil urinal frame for external flush valve, H1120**


Code	Dimensions (mm)
9320010	1120 x 500

TECEprofil urinal frame with flush valve housing, U2, H1120

Code	Dimensions (mm)
9320013	1120 x 500

TECE bidet frame

Installation fixing frame for fitting.

**TECE bidet frame, H1120**


Code	Dimensions (mm)
9330000	1120 x 500

TECE bidet frame, H820

Code	Dimensions (mm)
9330005	820 x 500

TECE washbasin frame

Installation fixing frame for fitting.

**TECE washbasin frame, H1120**

Code	Dimensions (mm)
9310000	1120 x 500

TECE washbasin frame, H820


Code	Dimensions (mm)
9330005	820 x 500

TECE washbasin frame, concealed trap, H1120


Code	Dimensions (mm)
9310004	1120 x 500

TECE bath/shower frame - 1120mm

Installation fixing frame for fitting.

**TECE bath/shower frame, shower controls installation frame, H1120**


Code	Dimensions (mm)
9340000	1120 x 500



TECEuni cistern - H1120mm


Concealed cistern for use with back-to-wall or floor-standing WC pans. Designed for front actuation with reliable, water-saving performance. Provides quiet operation and easy maintenance for long-lasting use.

Code	Nominal Height (mm)
9041336	1120

**TECEuni cistern - H980mm**


Concealed cistern for use with back-to-wall or floor-standing WC pans. Designed for front or top actuation. Ensures reliable, water-saving performance with quiet operation and easy maintenance.

Code	Nominal Height (mm)
9041337	980

**TECEuni cistern - H820mm**


Concealed cistern for use with back-to-wall or floor-standing WC pans. Designed for front or top actuation. Ensures reliable, water-saving performance with quiet operation and easy maintenance.

Code	Nominal Height (mm)
9041335	820

**TECE octa II slimline cistern - H1120mm**

Slimline concealed cistern for use with back-to-wall or floor-standing WC pans. Designed for front actuation. Combines space-saving installation with reliable, quiet, and efficient performance.

Code	Nominal Height (mm)
9370500	1120





ELITEpro

All in one Linear floor gully in Stainless Steel, Includes reversible tile insert grate and chassis. With 1 horizontal waste & trap. The universal floor drain. Complete with factory fitted membrane. Suits: 10mm - 20mm thick finishes.

**ELITEpro Shower Channel, Fitted Membrane, Tile Grate & Trap**

Description	Code	Dimensions (mm)
500mm Shower Channel, Fitted Membrane, Tile Grate & Trap	00800280	500
600mm Shower Channel, Fitted Membrane, Tile Grate & Trap	00800281	600
700mm Shower Channel, Fitted Membrane, Tile Grate & Trap	00800282	700
800mm Shower Channel, Fitted Membrane, Tile Grate & Trap	00800283	800
900mm Shower Channel, Fitted Membrane, Tile Grate & Trap	00800284	900
1000mm Shower Channel, Fitted Membrane, Tile Grate & Trap	00800285	1000
1100mm Shower Channel, Fitted Membrane, Tile Grate & Trap	00800286	1100
1200mm Shower Channel, Fitted Membrane, Tile Grate & Trap	00800287	1200
1300mm Shower Channel, Fitted Membrane, Tile Grate & Trap	00800288	1300
1400mm Shower Channel, Fitted Membrane, Tile Grate & Trap	00800289	1400
1500mm Shower Channel, Fitted Membrane, Tile Grate & Trap	00800290	1500
1600mm Shower Channel, Fitted Membrane, Tile Grate & Trap	00800291	1600
1700mm Shower Channel, Fitted Membrane, Tile Grate & Trap	00800292	1700
1800mm Shower Channel, Fitted Membrane, Tile Grate & Trap	00800293	1800
1900mm Shower Channel, Fitted Membrane, Tile Grate & Trap	00800294	1900
2000mm Shower Channel, Fitted Membrane, Tile Grate & Trap	00800295	2000

ELITEpro Concrete Installation Pack

Description	Code	Dimensions (mm)
500 - 1200mm Drains	9000500	-
1300 - 2000mm Drains	9001200	-

TECEquattro single point drain


2 sizes of single point drain in Stainless Steel, with UK compliant trap system. Height adjustable frame and reversible grate allows for tile insert or brushed stainless steel Xero finish.



Description	Code	Dimensions (mm)
Single Point Drain, TILE Insert / XERO Reversible Grate	00800153	150 x 150
Single Point Drain, TILE Insert / XERO Reversible Grate	00800156	200 x 200

ELITEpro images kindly provided by Artisan Tile and Bathroom Studio Limited



**TECEdrainprofile**

TECEdrainprofile is an elegant stainless steel shower channel designed for a seamless, niche-flush fit. It features an internal slope for efficient drainage and is easy to clean. Cut to length on site, it offers a sleek and unobtrusive solution for modern showers.

Modular system where you pick the **Grate (B)**, **Drain (C)** **Assembly Feet (D)** and **Adapter (E)** to have the full TECEdrainprofile product.

(B) TECEdrainprofile grate**Page 38**

Available in sizes from 800mm to 1600mm, with a choice of seven finishes including brushed and polished.

**(C) TECEdrainprofile trap****Page 39**

Choice of 2 traps: side and vertical

**(D) TECEdrainprofile assembly feet****Page 39**

Assembly feet for TECEdrainprofile drains for easy height adjustment and position fixing during shell installation.

**(E) TECEdrainline adapter****Page 39**

Mandatory adapter to connect TECE drains to 2" PVC waste water pipes in accordance with BS5255.




For more information or guidance please contact our office 01761 241133

Wetroom Drainage - TECEdrainprofile grate (B)

(B) TECEdrainprofile grate


Shower profile for shower drainage, for installation in tile adhesive above the screed and seal.



Description	Code	Dimensions (mm)
800mm Grate Brushed Stainless Steel	670800	800
800mm Grate Brushed Black Chrome	670801	800
800mm Grate Brushed Gold Optic	670802	800
800mm Grate Brushed Red Gold	670803	800
800mm Grate Polished Stainless Steel	670810	800
800mm Grate Polished Gold Optic	670812	800
800mm Grate Brushed Black	670821	800
900mm Grate Brushed Stainless Steel	670900	900
900mm Grate Brushed Black Chrome	670901	900
900mm Grate Brushed Gold Optic	670902	900
900mm Grate Brushed Red Gold	670903	900
900mm Grate Polished Stainless Steel	670910	900
900mm Grate Polished Gold Optic	670912	900
900mm Grate Brushed Black	670921	900
1000mm Grate Brushed Stainless Steel	671000	1000
1000mm Grate Brushed Black Chrome	671001	1000
1000mm Grate Brushed Gold Optic	671002	1000
1000mm Grate Brushed Red Gold	671003	1000
1000mm Grate Polished Stainless Steel	671010	1000
1000mm Grate Polished Gold Optic	671012	1000
1000mm Grate Brushed Black	671021	1000
1200mm Grate Brushed Stainless Steel	671200	1200
1200mm Grate Brushed Black Chrome	671201	1200
1200mm Grate Brushed Gold Optic	671202	1200
1200mm Grate Brushed Red Gold	671203	1200
1200mm Grate Polished Stainless Steel	671210	1200
1200mm Grate Polished Gold Optic	671212	1200
1200mm Grate Brushed Black	671221	1200
1600mm Grate Brushed Stainless Steel	671600	1600
1600mm Grate Brushed Black	671621	1600

(C) TECEdrainprofile side trap


Trap for TECEdrainprofile shower channel, for installing in screed, for connection to the side of a DN 50 drain pipe. Includes factory fitted click-in Seal System sealing collar. Fulfils the requirements of EN 1253-1 and DIN 18534.



Description	Code	Dimensions (mm)
Standard Side Trap DN50	673002	-

(C) TECEdrainprofile vertical trap

Trap for TECEdrainprofile shower channel, for installing in screed, for vertical connection to a DN 50 drain pipe. Includes factory fitted click-in Seal System sealing collar. Fulfils the requirements of EN 1253-1 and DIN 18534.



Description	Code	Dimensions (mm)
Vertical Trap DN50	673003	-

(D) TECEdrainprofile assembly feet

Assembly feet for TECEdrainprofile drains for easy height adjustment and position fixing during shell installation. Adjustment range on "standard" drain 95-194 mm, on "flat" drain 65-164 mm and for "vertical" drain 58-157 mm (lower edge of feet to the upper edge of drain or screed).



Description	Code	Dimensions (mm)
Assembly Feet	674000	-

(E) TECE drain adapter


Mandatory adapter to connect TECEdrainline and TECEdrainprofile drains to 2" PVC waste water pipes in accordance with BS5255.




Description	Code	Dimensions (mm)
Adapter DN 50 x BS2"	669012	-

(OPTIONAL) TECEdrainprofile hair guard

Hair trap made of stainless steel for inserting into the TECEdrainprofile shower profile. With "push function" for easy removal by hand. One set (consisting of two hair traps) is required for one shower profile.



Description	Code	Dimensions (mm)
Hair Guard	674002	-



**TECEdrainline**

TECEdrainline combines reliable drainage with minimalist design and flexible installation. Its modular system offers a range of covers and channel bodies to suit any shower layout. Discreet and effective, it fits seamlessly into modern bathrooms.

Modular system where you pick the **Chassis (A)**, **Grate (B)** and **Drain (D)** and **Adapter (F)** to have the full TECEdrainline product.

(A) TECEdrainline chassis**Page 42 + 43**

Available in sizes from 700mm to 1500mm, with a choice of three chassis styles: straight channel, matt coloured channel, and upwall channel.

**(B) TECEdrainline grate****Page 44 + 45**

Available in sizes from 700mm to 1500mm, with a choice of 4 grate styles: brushed stainless steel, matt coloured, satin glass and self tileable grate.

**(C) TECEdrainline trap****Page 46**

Choice of 3 drain styles: flat horizontal, standard 50mm horizontal and standard vertical.

**(E) TECEdrainline adaptor****Page 46**

Mandatory Adaptor to connect TECEdrainline, and TECEdrainprofile drains to 2" PVC waste water pipes in accordance with BS5255.



For more information or guidance please contact office

(A) TECEdrainline chassis, straight channel

Straight channel body for installation in the screed, with flange and seal system sealing tape, for creating an independently tested connection of the TECEdrainline shower channel to the composite seal.



Description	Code	Dimensions (mm)
700mm Straight Channel	600700	700
800mm Straight Channel	600800	800
900mm Straight Channel	600900	900
1000mm Straight Channel	601000	1000
1200mm Straight Channel	601200	1200
1500mm Straight Channel	601500	1500

(A) TECEdrainline chassis, straight channel, coloured


Coloured channel body for installation in screed, with flange and seal system sealing tape, for creating an independently tested connection of the TECEdrainline shower channel to the composite seal.



Description	Code	Dimensions (mm)
700mm Straight Channel, Matt Black	600705	700
700mm Straight Channel, Matt White	600706	700
800mm Straight Channel, Matt Black	600805	800
800mm Straight Channel, Matt White	600806	800
900mm Straight Channel, Matt Black	600905	900
900mm Straight Channel, Matt White	600906	900
1000mm Straight Channel, Matt Black	601005	1000
1000mm Straight Channel, Matt White	601006	1000
1200mm Straight Channel, Matt Black	601205	1200
1200mm Straight Channel, Matt White	601206	1200
1500mm Straight Channel, Matt Black	601505	1500
1500mm Straight Channel, Matt White	601506	1500

(A) TECEdrainline chassis, upwall chassis

Straight channel body with wall upstand for installation in the screed against the wall, with flange and seal system sealing tape, for creating an independently tested connection of the TECEdrainline shower channel to the composite seal.



Description	Code	Dimensions (mm)
700mm Upwall Chassis	600701	700
800mm Upwall Chassis	600801	800
900mm Upwall Chassis	600901	900
1000mm Upwall Chassis	601001	1000
1200mm Upwall Chassis	601201	1200
1500mm Upwall Chassis	601501	1500

Wetroom Drainage - TECEdrainline grate (B)

(B) TECEdrainline grate

Design cover for TECEdrainline shower channel, made of stainless steel, for fitting into the channel body. Maximum test load 300 kg based on load class K3.



Description	Code	Dimensions (mm)
700mm Grate II, Brushed Stainless Steel	600783	700
800mm Grate II, Brushed Stainless Steel	600883	800
900mm Grate II, Brushed Stainless Steel	600983	900
1000mm Grate II, Brushed Stainless Steel	601083	1000
1200mm Grate II, Brushed Stainless Steel	601283	1200
1500mm Grate II, Brushed Stainless Steel	601583	1500

(B) TECEdrainline grate, design grate

Design cover grate for TECEdrainline shower channel, made of stainless steel with coloured coating, for fitting into the channel body. Maximum test load 300 kg based on load class K3.



Description	Code	Dimensions (mm)
700mm Design Grate, Matt Black	600785	700
700mm Design Grate, Matt White	600786	700
800mm Design Grate, Matt Black	600885	800
800mm Design Grate, Matt White	600876	800
900mm Design Grate, Matt Black	600985	900
900mm Design Grate, Matt White	600986	900
1000mm Design Grate, Matt Black	601085	1000
1000mm Design Grate, Matt White	601086	1000
1200mm Design Grate, Matt Black	601285	1200
1200mm Design Grate, Matt White	601286	1200
1500mm Design Grate, Matt Black	601585	1500
1500mm Design Grate, Matt White	601586	1500

(B) TECEdrainline grate, satin glass grate

Design cover for TECEdrainline shower channel, made of stainless steel with a satin glass surface, for fitting into the channel body. Maximum test load 300 kg based on load class K3. The finishes are colour matched to the TECEsquare glass toilet flush plates.



Description	Code	Dimensions (mm)
700mm Design Grate, Satin Glass Black	600793	700
700mm Design Grate, Satin Glass White	600794	700
800mm Design Grate, Satin Glass Black	600893	800
800mm Design Grate, Satin Glass White	600894	800
900mm Design Grate, Satin Glass Black	600993	900
900mm Design Grate, Satin Glass White	600994	900
1000mm Design Grate, Satin Glass Black	601093	1000
1000mm Design Grate, Satin Glass White	601094	1000
1200mm Design Grate, Satin Glass Black	601293	1200
1200mm Design Grate, Satin Glass White	601294	1200
1500mm Design Grate, Satin Glass Black	601593	1500
1500mm Design Grate, Satin Glass White	601594	1500

(B) TECEdrainline tileable grate

Tileable grate for TECEdrainline shower channel, for fitting into the channel body, made of stainless steel. Maximum test load 300 kg based on load class K3. Tiles can be attached by the customer using elastic adhesive, e.g. silicon or epoxy resin adhesive.




Description	Code	Dimensions (mm)
700mm Tile Grate	600772	700
800mm Tile Grate	600872	800
900mm Tile Grate	600972	900
1000mm Tile Grate	601072	1000
1200mm Tile Grate	601272	1200
1500mm Tile Grate	601572	1500

Wetroom Drainage - TECEdrainline trap (C), Adaptor (E)

(C) TECEdrainline standard 50mm horizontal trap


Drain for TECEdrainline shower channel to fit to the channel body, drain can be turned 360°, for lateral connection to DN 50 drain pipe, with removable siphon immersion pipe. Fulfils the requirements of EN 1253-1. Water seal height - 50mm



Description	Code	Dimensions (mm)
Standard 50mm Horizontal Trap DN50	650001	-

(C) TECEdrainline standard vertical trap


Vertical drain for TECEdrainline shower channel to fit to the channel body, drain can be rotated 360°, for vertical connection to a DN 50 drain pipe, with removable siphon immersion pipe. Fulfils the requirements of EN 1253-1. Water seal height - 50mm



Description	Code	Dimensions (mm)
Vertical Trap DN70	650003	-

(C) TECEdrainline flat horizontal trap

Drain for TECEdrainline shower channel to fit to the channel body, drain can be turned 360°, for lateral connection to DN 50 drain pipe, with removable siphon immersion pipe. Fulfils the requirements of EN 1253-6. Water seal height - 25mm



Description	Code	Dimensions (mm)
Flat (lowlevel) Horizontal Trap DN50	650000	-

(E) TECEdrainline adaptor

Mandatory Adaptor to connect TECEdrainline, and TECEdrainprofile drains to 2" PVC waste water pipes in accordance with BS5255.




Dimensions (mm)

Description	Code
Adapter DN 50 x BS2"	669012

(Optional) TECEdrainline assembly feet set (4) 92 - 139mm


Mandatory Adapter to connect TECEdrainline, TECEdrainpoint S and TECEdrainprofile drains to 2" PVC waste water pipes in accordance with BS5255.



Description	Code	Dimensions (mm)
Assembly Feet Set (4) 92 - 139mm	660003	-

(Optional) TECEdrainline assembly feet 137mm - 184mm


Assembly feet to make it easy to adjust the height of the channel body and fix the position during shell assembly.



Description	Code	Dimensions (mm)
Assembly Feet 137mm - 184mm	660004	-

(Optional) TECEdrainline hair trap

Hair trap made of stainless steel, for fitting into the channel body.



Description	Code	Dimensions (mm)
Hair Trap	660005	-

(Optional) TECEdrainline fire protection for vertical drain

Fire protection set for direct vertical installation on the TECEdrainline DN 50 drain, for highly fire resistant partitioning of ceiling bushings in solid ceilings up to 120 min.



Description	Code	Dimensions (mm)
Fire Protection for Vertical Drain	660006	-


(Optional) TECEdrainline seal system tape

Assembly feet to make it easy to adjust the height of the channel body and fix the position during shell assembly.



Description	Code	Dimensions (mm)
Seal System Tape	660019	-





TECEdrainline natural stone

TECEdrainline for natural stone offers reliable drainage with a refined, flush finish. Designed for stone floors, it allows elegant integration without disrupting the material's surface. Discreet and durable, it's the ideal solution for premium natural stone bathrooms.

Modular system where you pick the **Chassis (A+B)**, **Trap (D)** and **Adaptor (E)** to have the full TECEdrainline product.

(A+ B) TECEdrainline natural stone chassis

Page 50

Available in sizes from 700mm to 1500mm. Grate included



(C) TECEdrainline trap

Page 51

Choice of 3 drain styles: flat horizontal, standard 50mm horizontal and standard vertical.



(E) TECEdrainline adaptor

Page 52


Mandatory Adaptor to connect TECEdrainline, and TECEdrainprofile drains to 2" PVC waste water pipes in accordance with BS5255.



For more information or guidance please contact our office 01761 241133

TECEdrainline natural stone shower channel (A + B)


TECEDrainline shower channel for natural stone with seal system sealing set and stainless steel support as a set.



Description	Code	Dimensions (mm)
700mm Natural Channel	650700	700
800mm Natural Channel	650800	800
900mm Natural Channel	650900	900
1000mm Natural Channel	651000	1000
1200mm Natural Channel	651200	1200
1500mm Natural Channel	651500	1500

(C) TECEdrainline standard 50mm horizontal trap


Drain for TECEdrainline shower channel to fit to the channel body, drain can be turned 360°, for lateral connection to DN 50 drain pipe, with removable siphon immersion pipe. Fulfils the requirements of EN 1253-1. Water seal height - 50mm



Description	Code	Dimensions (mm)
Standard 50mm Horizontal Trap DN50	650001	-

(C) TECEdrainline standard vertical trap


Vertical drain for TECEdrainline shower channel to fit to the channel body, drain can be rotated 360°, for vertical connection to a DN 50 drain pipe, with removable siphon immersion pipe. Fulfils the requirements of EN 1253-1. Water seal height - 50mm.



Description	Code	Dimensions (mm)
Vertical Trap DN70	650003	-

(C) TECEdrainline flat horizontal trap

Drain for TECEdrainline shower channel to fit to the channel body, drain can be turned 360°, for lateral connection to DN 50 drain pipe, with removable siphon immersion pipe. Fulfils the requirements of EN 1253-6. Water seal height - 25mm



Description	Code	Dimensions (mm)
Flat (low level) Horizontal Trap DN50	650000	-

(E) TECEDrainline adaptor


Mandatory Adaptor to connect TECEdrainline, and TECEdrainprofile drains to 2" PVC waste water pipes in accordance with BS5255



Description	Code	Dimensions (mm)
Adapter DN 50 x BS2"	669012	-

(F) TECEdrainline assembly feet set (4) 92 - 139mm


Adapter to connect TECEdrainline, drains to 2" PVC waste water pipes in accordance with BS5255.



Description	Code	Dimensions (mm)
Assembly Feet Set (4) 92 - 139mm	660003	-

TECEDrainline assembly feet 137mm - 184mm


Assembly feet to make it easy to adjust the height of the channel body and fix the position during shell assembly.



Description	Code	Dimensions (mm)
Assembly Feet 137mm - 184mm	660004	-

TECEDrainline hair trap

Hair trap made of stainless steel, for fitting into the channel body.



Description	Code	Dimensions (mm)
Hair Trap	660005	-

TECEDrainline fire protection for vertical drain

Fire protection set for direct vertical installation on the TECEdrainline DN 50 drain, for highly fire resistant partitioning of ceiling bushings in solid ceilings up to 120 min.



Description	Code	Dimensions (mm)
Fire Protection for Vertical Drain	660006	-

TECEDrainline seal system tape

Assembly feet to make it easy to adjust the height of the channel body and fix the position during shell assembly.



Description	Code	Dimensions (mm)
Seal System Tape	660019	-

Wetroom Waterproofing

EdgeSEAL™ waterproofing tape

Waterproofing sealing tape that stops leaking between shower trays or baths, and the wall. Fix to tray & behind tiles, for an invisible finish. In convenient project sizes.



Description	Code	Size
Bath / Shower Sealant, Small	00700517	20cm x 2m
Bath / Shower Sealant, Medium	00700518	20cm x 2.85m
Bath / Shower Sealant, Large	00700519	20cm x 3.3m
Bath / Shower Sealant, Trade Pack	00700520	20cm x 20m

AquaSEAL™ waterproofing membrane

Fast drying (3 hours at 20c), flexible synthetic gel membrane for all showers. Permanently seals walls and floors. Suits all surfaces including plasterboard, WBP, tilebacker boards, concrete & wood.



Description	Code	Size
RP Waterproof Membrane 6kg Tub	00400050	Tub Approx. 5m ²
Waterproof J.S.T Joint Sealing Tape 5m	00400051	5m x 120mm
Waterproof J.S.T Joint Sealing Tape 10m	00400052	10m x 120mm
Waterproof J.S.T Joint Sealing Tape 25m	00400053	25m x 120mm
Waterproof J.S.T Joint Sealing Tape 50m	00400054	50m x 120mm
Waterproof Corner Joint Sealing Tape Internal	00400055	120mm Wide
Waterproof Corner Joint Sealing Tape External	00400056	120mm Wide
UNO3 Kit inc. 5m Membrane Tub, 5m J.S.T and Internal Corner	09900074	Approx 5m ²
Medio3 Kit inc. 10m Membrane Tubs, 10m J.S.T and Internal Corner	09900075	Approx 10m ²

AquaGUARD™ waterproofing membrane

Durable, thin and light waterproof membrane protects substrates from water damage below tiles. AquaGUARD™ universal membrane is suitable for both floors and walls alike, and AquaGUARD™ Floor is only suitable for floors.



Description	Code	Size
Universal, Waterproof Membrane Roll 5m	00700500	5m
Universal, Waterproof Membrane Roll 10m	00700501	10m
Universal, Waterproof Membrane Roll 30m	00700502	30m
Floor, Waterproof Membrane Roll 5m	00700503	5m
Floor, Waterproof Membrane Roll 30m	00700504	30m
Waterproof Corner Joint Sealing Tape Internal	00700506	120mm Wide
Waterproof Corner Joint Sealing Tape External	00700507	120mm Wide
Joint Sealing Tape Roll 10m	00700508	10m x 120mm Wide
Joint Sealing Tape Roll 15m	00700509	15m x 120mm Wide
Joint Sealing Tape Roll 50m	00700510	50m x 120mm Wide
5m ² Kit inc. Waterproof Membrane, 5m J.S.T and Internal Corner	00700513	5m ² Kit
10m ² Kit inc. Waterproof Membrane, 10m J.S.T and Internal Corner	00700514	10m ² Kit

Wetroom Shower Gradient Board

eForm 22 model A

Flat gradient formers with a waterproof coating. eForms are a thin board system used to create a consistent gradient. Shapes and sizes offer very flexible design potential.



Description	Code	Size
Universal Gradient, Model A	00500170	1000 x 1000 x 8/22mm

eForm 22 model B


Flat gradient formers with a waterproof coating. eForms are a thin board system used to create a consistent gradient. Shapes and sizes offer very flexible design potential.



Description	Code	Size
Universal Gradient, Model B	00500171	500 x 1000 x 22/30mm

eForm 22 model D


Flat gradient formers with a waterproof coating. eForms are a thin board system used to create a consistent gradient. Shapes and sizes offer very flexible design potential.



Description	Code	Size
Universal Gradient, Model D	00500173	700 x 1000 x 8/22mm

eForm 22 model V

Flat gradient formers with a waterproof coating. eForms are a thin board system used to create a consistent gradient. Shapes and sizes offer very flexible design potential.



Description	Code	Size
Universal Gradient, Model V	00500174	1000 x 1000 x 8/22mm

Accessories and Spares

Universal Fill Valve

WRAS Approved replacement side inlet fill valve for cisterns from Geberit, Grohe, Viega, and other manufacturers. Ceramic cistern version incl. chrome connection cover.



Description	Code	Dimensions
TECE Side Inlet Fill Valve, F10, Universal	9820353	-
TECE Side Inlet Fill Valve, F10, Universal, Ceramic Cistern	9820389	-
TECE F7 Type AG Fill Valve (3/8" Connection)	9820639	-
TECE Side Inlet Fill Valve, F10, Universal, (box of 10)	9820353/10	-
TECE Side Inlet Fill Valve, F10, Universal, Ceramic Cistern (box of 10)	9820389/10	-
TECE F7 Type AG Fill Valve (3/8" Connection) (box of 10)	9820639/10	-

Accessories

Optional extras to suit the TECE flushing technology system that aid and improve installation quality and functionality.



Description	Code	Dimensions
TECE Depth Adjustable Trim To Rebate Flush Plates, White	9240646	-
TECE Depth Adjustable Trim To Rebate Flush Plates, Black	9240647	-
TECE Depth Adjustable Trim To Rebate Flush Plates, Gold Plate	9240648	-
TECE Depth Adjustable Trim To Rebate Flush Plates, Chrome	9240649	-
TECE Depth Adjustable Trim To Rebate Flush Plates, Metal (For Plating)	9240644	-
TECE Natural Stone Extension Set for Rebated Flush Plates	9820181	-
TECE Flush Plate Controls Deep Wall Kit	9820030	-
TECE Insert Chute (TECElux Mini, Square Glass, Velvet, Loop & Now)	9240951	-
TECE Insert Chute (TECEsquare Metal II, Square Glass II & Solid)	9240952	-
TECE Throttle Set, Standard Cisterns (8x Sizes, Dia. 46mm - 28mm)	9820337	-
TECE Throttle Set, Slimline Cisterns (4x Sizes)	9820394	-
TECE Sound Insulation Set For Toilet & Bidet	9200010	-
TECE Wall Brackets, Profil, Quick Release	9380014	-
TECE Wall Brackets, Contract	9380300	-
TECE Wall Brackets, Corner 45'	9380301	-
TECE Wall Module Attachment for Corner Installation	9380004	-
TECE Panel Kit for Niches	9380013	-
TECE Shallow WC Pan, Support Brackets	9041029	-
TECE Waterways Connection Pack	9820057	-
TECE Waterways Connection Pack, Deep Wall	9820214	-
TECE HDPE 90/110 Adapter Sleeve, Offset	9820136	-
TECE HDPE Pan Connector 90o Elbow, cw Ring Seal Socket, DN90	9820134	-

Ceramics

Spare parts for TECE ceramics, sorted by product code. Suitable for maintenance and replacement.

Spares

Description	Code	Dimensions
TECE Ceramic Sound Insulation Tape	9820351	-
TECE Ceramic Concealed Mounting Brackets	9820356	-
TECE Ceramic Knurled Nut x2 for Concealed Mounting Brackets	9820357	-
TECE Ceramic Thermostatic Control Cartridge	9820360	-
TECE Ceramic Operating Knob for Temperature Control	9820361	-
TECE Ceramic Operating Knob for Water Volume Control	9820362	-
TECE Ceramic Shower Wand Complete Set	9820363	-
TECE Ceramic Shower Wand Rosette	9820364	-
TECE Ceramic Upgrade Screw Set M4 x16	9820377	-
TECE Ceramic Shower Wand Nozzle Cap x3 'Standard' 75 Degree	9820403	-
TECE Ceramic Shower Wand Nozzle Cap x3 'Standard' 90 Degree	9820404	-
TECE Ceramic Shower Wand Nozzle Cap x3 'Medium' 90 Degree	9820405	-
TECE Ceramic Shower Wand Nozzle Cap x3 'Small' 90 Degree	9820406	-
TECE Ceramic Shower Wand Removal Tool	9820422	-
TECE Ceramic Water Volume Control Cartridge EN1717 Splashguard	9820469	-
TECE Ceramic Reinforces Hoses (Hot and Cold)	9820471	-
TECE Ceramic Seal for Flush Pipe Connection	9820484	-
TECE Ceramic Shower Wand Retaining Spring	9820585	-
TECE Ceramic O-Ring Water Volume Control Cartridge EN1717 Safeguard	9820586	-

Flushing Controls

Spare parts for TECE flushing controls, sorted by product code. Suitable for maintenance and replacement.

Spares

Description	Code	Dimensions
TECE Electronic Motor with Splash Guard (Neorest)	9820140	-
TECE Removal Tool Handle with Suction Cups	9820180	-
TECEplanus Backplate	9820327	-
TECEsquare Metal and Glass I Back plate	9820328	-
TECE Back Plate (NOW / VELVET / LOOP ABS)	9820346	-
TECEsquare Metal and Glass II Back Plate	9820347	-
TECE Flush Plate Dismounting Key	9820390	-
TECElux Mini Backplate	9820397	-
TECEsolid Backplate	9820426	-
TECE Lifting Engine II For Lux Mini & Solid	9820493	-
TECE Quick Fix Flush Plate Mounting Screws 2.0	9820497	-
TECE Quick Fix Flush Plate Actuation Rods Red & Black	9820498	-

Frames and Cisterns

Spare parts for TECE frames and cisterns, sorted by product code. Suitable for maintenance and replacement.

Spares

Description	Code	Dimensions
Hanger Bolts for Solid Walls	9380007	-
Spare parts Case	9820000	-
O Ring Seal For Drain Valve (A1 & A2)	9820005	-
Sealing Set for fill valve	9820009	-
269mm J Flush Down Pipe	9820011	-
Water Inlet Connection (Mepla-Fix)	9820012	-
Water Isolation Valve	9820013	-
O Ring, Adjust Flush Pipe Seal (Excludes 820)	9820014	-
O Ring For Flush Pipe Outlet (All Sizes)	9820015	-
Lifting Engines for Standard Cisterns	9820016	-
Standard Splash Guard Front/Top	9820017	-
Actuation Rods (Red + Black) (Old)	9820022	-
Supply Hose Steel	9820026	-
Bi Pack For Toilet Module	9820043	-
Box Bracket For Toilet Drain Bend Holder	9820049	-
Pan mounting Riv-Nuts	9820071	-
185mm J Flush Down Pipe	9820099	-
Flush Pipe with Odour Extraction DN70 Left	9820126	-
Box Fitting Kit For 8cm Cistern	9820144	-
TECEprofil Toilet Drain Bend Holder, Upper Frame Connection	9820145	-
Box Bi Pack for Toilet Module 8cm	9820147	-
Pan Connector 90 Elbow For Slimline	9820150	-
Gasket Washer for A3/A5 8cm Cistern	9820161	-
Hold Down Device for 8cm Drain Valve	9820163	-
Slimline / Base Flushplate rough-in Block	9820188	-
8cm Flush Plate Fixings (Old)	9820189	-
Complete Splash Guard for Compact	9820194	-
8cm Slimline Fill Valve Holder	9820215	-
A2 Flush Valve Large Flush Eyelet	9820222	-
A2 Drain Valve Inc Valve Seat, Throttle, Op Lvr	9820223	-
Fill Valve F3	9820226	-
F3 Low Pressure Kit	9820226KIT	-
F3 Low Pressure Kit for Slimline	9820226SLIMKIT	-
Bottom Gasket/Washer for Drain Valve	9820233	-
TECEcompact/base 1/2" Water Inlet Connection Seal	9820235	-
Profil Toilet Mounting Set	9820245	-
Profil Control Cable for Remote Trig TOTO Neorest	9820259	-
Additional Weight for A3 & A5 Slimline Drain Valves	9820275	-
Waterways Bung Set	9820312	-
369mm J Flush Down Pipe	9820331	-
Module Foot Left Hand	9820332	-
Module Foot Right Hand	9820333	-
Profil Toilet Drain Bend Hold Complete, Lower Frame Connection	9820348	-
Fill Valve Holder 17mm 3/8" (F1, F3)	9820372	-
Fill Valve Holder M30 (F7, F10)	9820373	-
Filling Valve Reinforced Hose M30 - Octa II Slimline	9820374	-
TECEcompact/base 1/2" Water Inlet Connection	9820378	-
F10 Fill Valve Seal Set	9820383	-
Slimline A5 Flush Valve Hold Down Device and Stiffening Element	9820439	-

Frames and Cisterns - continued

Spare parts for TECE frames and cisterns, sorted by product code. Suitable for maintenance and replacement.

Spares

Description	Code	Dimensions
3 way Corner Valve for Compact/Base cisterns	9820492	-
Quick Fix Flush Plate Mounts 2.0	9820496	-
Installation Tunnel Inc Polystyrene Block	9820499	-
A5 Drain Valve, Slimline	9820561	-
Slimline A5 Flush valve Draw Eyelet	9820564	-
Bare Wall Protection for Shower WC Connection	9820568	-
A6 Flush Valve (750mm Frames)	9820588	-
Wall Fixing Brackets to suit 750mm Frames	9820634	-
Uni 2.0 Stainless Steel Braided Hose F7	9820638	-
Hold Down Device for Compact 320mm Frames and cisterns	9820667	-
Flushpipe for Cisterns - Compact	9820668	-
Box Flush Plate Fixings and Actuation Rods (Old)	9820692	-

Wetroom Drainage

Spare parts for TECE wetroom drainage systems, sorted by product code.
Suitable for maintenance and replacement.

Spares

Description	Code	Dimensions
TECEDrainline DN70 Horizontal Outlet (Max) Trap	650002	-
TECEDrainline DN40 Horizontal Outlet (Extra Flat) Trap	650004	-
TECEseal System Sealing Tape	660019	-
TECEDrainprofile DN40 Horizontal Outlet Trap	673001	-
TECEDrainprofile Concrete Installation Feet	674000	-
TECEDrainprofile Sound Insulation Strip	675004	-
TECEDrainprofile Click In Waterproof Seal System	675005	-
TECEDrainprofile Odour Traps / Siphons	675008	-
TECEDrainprofile Removal Hook for Odour Straps / Siphons	675009	-

Urinals

Spare parts for TECE urinals, sorted by product code. Suitable for maintenance and replacement.

Spares

Description	Code	Dimensions
TECEbox Urinal Flush Valve Housing U2	9370040	-
TECE Urinal Flush Valve Cartridge - Mechanical Flush U1	9820031	-
TECE Drain Bend Holder DN50	9820034	-
TECE Drain Bend Holder DN50 / DN40	9820035	-
TECEprofil Inlet Fittings For Urinal	9820055	-

More information on
www.tece.co.uk

TECE Limited
Tel +44 (0)1761 241133
info@tece.co.uk
www.tece.co.uk